

FORM PTO-1390
(REV. 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

P/61705-PCT

**TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371**

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

10/031253INTERNATIONAL APPLICATION NO.
PCT/GB00/01999INTERNATIONAL FILING DATE
May 25, 2000PRIORITY DATE CLAIMED
May 27, 1999TITLE OF INVENTION **NETWORK INTERCONNECTIONS**APPLICANT(S) FOR DO/EO/US **Geoffrey CHOPPING, Thomas Slade MADDERN, Bruce Philip JENSEN**

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371 (f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☐ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 20 below concern document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
14. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☐ Other items or information: **Receipt Acknowledgment Postcard**


U.S. APPLICATION NO. 10/031253		INTERNATIONAL APPLICATION NO PCT/GB00/01999		ATTORNEY'S DOCKET NUMBER P/61705-PCT																																																																											
<div>21. <input checked="" type="checkbox"/> The following fees are submitted:</div> <div>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :</div> <div>Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1,040.00</div> <div>International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00</div> <div>International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00</div> <div>International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00</div> <div>International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00</div> <div style="text-align: right;">ENTER APPROPRIATE BASIC FEE AMOUNT =</div> <div>Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).</div> <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th style="width:15%;">CLAIMS</th><th style="width:15%;">NUMBER FILED</th><th style="width:15%;">NUMBER EXTRA</th><th style="width:15%;">RATE</th><th style="width:15%;">\$</th><th style="width:15%;"></th></tr></thead><tbody><tr><td>Total claims</td><td>28 - 20 =</td><td>8</td><td>x \$18.00</td><td>\$144.00</td><td></td></tr><tr><td>Independent claims</td><td>3 - 3 =</td><td>0</td><td>x \$84.00</td><td>\$0.00</td><td></td></tr><tr><td colspan="3">MULTIPLE DEPENDENT CLAIM(S) (if applicable)</td><td>+ \$280.00</td><td>\$0.00</td><td></td></tr><tr><td colspan="4" style="text-align: right;">TOTAL OF ABOVE CALCULATIONS =</td><td>\$1,034.00</td><td></td></tr><tr><td colspan="4"><input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.</td><td>\$0.00</td><td></td></tr><tr><td colspan="4" style="text-align: right;">SUBTOTAL =</td><td>\$1,034.00</td><td></td></tr><tr><td colspan="4">Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).</td><td>\$0.00</td><td></td></tr><tr><td colspan="4" style="text-align: right;">TOTAL NATIONAL FEE =</td><td>\$1,034.00</td><td></td></tr><tr><td colspan="4">Fee for recording the enclosed assignment (37 CFR 1.21 (h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +</td><td>\$0.00</td><td></td></tr><tr><td colspan="4" style="text-align: right;">TOTAL FEES ENCLOSED =</td><td>\$1,034.00</td><td></td></tr><tr><td colspan="4" rowspan="2"></td><td style="text-align: right;">Amount to be refunded:</td><td style="text-align: center;">\$</td></tr><tr><td style="text-align: right;">charged:</td><td style="text-align: center;">\$</td></tr></tbody></table>				CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$		Total claims	28 - 20 =	8	x \$18.00	\$144.00		Independent claims	3 - 3 =	0	x \$84.00	\$0.00		MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	\$0.00		TOTAL OF ABOVE CALCULATIONS =				\$1,034.00		<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$0.00		SUBTOTAL =				\$1,034.00		Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$0.00		TOTAL NATIONAL FEE =				\$1,034.00		Fee for recording the enclosed assignment (37 CFR 1.21 (h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$0.00		TOTAL FEES ENCLOSED =				\$1,034.00						Amount to be refunded:	\$	charged:	\$	<div>CALCULATIONS PTO USE ONLY</div>	
				CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$																																																																							
				Total claims	28 - 20 =	8	x \$18.00	\$144.00																																																																							
				Independent claims	3 - 3 =	0	x \$84.00	\$0.00																																																																							
				MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	\$0.00																																																																							
TOTAL OF ABOVE CALCULATIONS =				\$1,034.00																																																																											
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$0.00																																																																											
SUBTOTAL =				\$1,034.00																																																																											
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$0.00																																																																											
TOTAL NATIONAL FEE =				\$1,034.00																																																																											
Fee for recording the enclosed assignment (37 CFR 1.21 (h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$0.00																																																																											
TOTAL FEES ENCLOSED =				\$1,034.00																																																																											
				Amount to be refunded:	\$																																																																										
				charged:	\$																																																																										
<div>a. <input checked="" type="checkbox"/> A check in the amount of \$1,034.00 to cover the above fees is enclosed.</div> <div>b. <input type="checkbox"/> Please charge my Deposit Account No. <u>11-1145</u> in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed.</div> <div>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>11-1145</u>. A duplicate copy of this sheet is enclosed.</div> <div>d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.</div>																																																																															
<div>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.</div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 20px;"><div style="width: 60%;">SEND ALL CORRESPONDENCE TO: KIRSCHSTEIN, OTTINGER, ISRAEL & SCHIFFMILLER, P.C. 489 Fifth Avenue New York, New York 10017 (212) 697-3750 <i>Express Mail No. EL 337 911 621 US</i></div><div style="width: 35%; text-align: right;"><div style="margin-bottom: 10px;"> SIGNATURE:</div><div><u>Alan Israel</u> NAME</div><div><u>27,564</u> REGISTRATION NUMBER</div></div></div>																																																																															

10/031253

531 Rec'd PCT/PT 23 OCT 2001

Docket No.: P/61705

PATENT APPLICATION
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail No. EL 337-911 621 US in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, on: October 23, 2001
(date) 
Alan Israel
Reg. No. 27,564

In re: Application of : Geoffrey CHOPPING, et al.
Deposited : October 23, 2001
For : NETWORK INTERCONNECTIONS

New York, New York
October 23, 2001

PRELIMINARY AMENDMENT

Hon. Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

Prior to calculation of the filing fee and before examination, kindly amend the above captioned application as follows:

IN THE CLAIMS:

Please cancel claims 1-28, without prejudice.

Please add new claims 29-56 as set forth on the enclosed pages.

IN THE ABSTRACT:

Delete the "Abstract" on the PCT cover sheet and replace it with the "Abstract of the Disclosure" set forth on a separate sheet attached hereto.

REMARKS

An abstract has been provided on a separate sheet; and the claims have been amended to conform to U.S. practice.

Wherefore, an early action on the merits is earnestly solicited.

Respectfully submitted,

KIRSCHSTEIN, OTTINGER, ISRAEL & SCHIFFMILLER, P.C.


Attorneys for Applicant(s)

489 Fifth Avenue

New York, New York 10017-6105

Tel: (212) 697-3750

Fax: (212) 949-1690



Alan Israel

Registration No. 27,564

PROPOSED NEW CLAIMS

29. A partially interconnected network, comprising:

a plurality of Allocated Nodes each allocated to one of a number of Areas (AREAs); a plurality of Star Nodes (STARs); point-to-point interconnections between the Allocated Nodes and the STARs; a number of AREAs with Allocated Nodes which are interconnected to an individual STAR forming a number of Routes (ROUTEs) from the individual STAR; the Allocated Nodes of a first of the AREAs being interconnected to a set comprising some, but not all, of the STARs; further of the AREAs being similarly interconnected to further sets each comprising STARs; at least one interconnection choice (CHOICE) between any two Allocated Nodes being in different AREAs; and an interconnection route comprising two point-to-point interconnections interconnected in series by one of the STARs.

30. The partially interconnected network as claimed in claim 29, wherein there is an equal number of CHOICES of ROUTEs between any two of the Allocated Nodes in different AREAs, and wherein there is an equal number of ROUTEs from each STAR.

31. The partially interconnected network as claimed in claim 29, wherein:

$$\begin{aligned} &(\text{AREAs}) \times (\text{AREAs}-1) \times (\text{CHOICES}) = (\text{STARs}) \times (\text{ROUTEs}) \times (\text{ROUTEs}-1) \text{ and} \\ &(\text{STARs}) \times (\text{ROUTEs}) / (\text{AREAs}) = \text{a positive integer.} \end{aligned}$$

32. The partially interconnected network as claimed in claim 29, wherein there is an equal number of CHOICES of ROUTEs between any two of the Allocated Nodes in different AREAs.

33. The partially interconnected network as claimed in claim 29, wherein there is an equal number of ROUTEs from each STAR.

34. The partially interconnected network as claimed in claim 29, wherein at least one of the AREAs contains one Allocated Node.

35. The partially interconnected network as claimed in claim 29, wherein each point-to-point interconnection comprises a multiple circuit transmission system.

36. The partially interconnected network as claimed in claim 29, wherein at least one of the point-to-point interconnections passes through an AREA cross-connect.

37. The partially interconnected network as claimed in claim 29, wherein the plurality of STARS equals a number of AREAs or an integer multiple thereof; wherein a number of AREAs and the plurality of STARS are each cyclically identified; wherein modulo differences of identities allocated to the cyclically identified STARS in a set or sets, selected in pairs within each set, form a single contiguous sequence or multiple contiguous sequences, respectively, from one to one less than a number of cyclically identified AREAs; and wherein a remainder of the cyclically identified AREAs is interconnected each to a corresponding set of cyclically identified STARS which are each sequentially rotated by one from a former contiguous sequence to create a regular rotated interconnection pattern or regular rotated interconnection patterns.

38. The partially interconnected network as claimed in claim 37, wherein, in each pattern, each cyclically identified STAR is interconnected to a cyclically identified AREA having the same cyclical identifier as the STAR.

39. The partially interconnected network as claimed in claim 38, wherein the rotated contiguous sequence is transformed by reordering and/or renumbering the AREAs and/or reordering and/or renumbering the STARS while retaining an equal number of ROUTEs between any two Allocated Nodes in different AREAs.

40. The partially interconnected network as claimed in claim 39, wherein there is a second plurality of cyclically numbered STARS which is equal in number to the earlier plurality of cyclically numbered STARS creating a second interconnection pattern, and wherein the second interconnection pattern is a counter rotating version of the pattern of interconnections of the earlier plurality of cyclically numbered STARS.

41. The partially interconnected network as claimed in claim 31, wherein ROUTEs is a prime number or an integer power of a prime number; wherein AREAs equals $ROUTEs^2$; and wherein STARS equals $ROUTEs \times (ROUTEs-1)$.

42. The partially interconnected network as claimed in claim 31, wherein there is an odd integer number of STARS, each STAR having three ROUTEs interconnected thereto.

43. The partially interconnected network as claimed in claim 29, wherein AREAs and STARS share sites; and wherein redundant pairs of the point-to-point

interconnections of a twin CHOICE network do not have their terminations on the same pair of sites.

44. The partially interconnected network as claimed in claim 32, wherein:

$(AREAs) \times (AREAs-1) \times (CHOICES) = (STARs1) \times (ROUTES1-1) + (STARs2) \times (ROUTES2-1) + (STARs3) \times (ROUTES3-1) + \dots + (STARsn) \times (ROUTESn-1).$

45. The partially interconnected network as claimed in claim 29, wherein at least one STAR comprises a plurality of distributed switches interconnected to form a mesh network.

46. The partially interconnected network as claimed in claim 29, wherein at least one STAR comprises a plurality of routers interconnected to form a mesh network.

47. The partially interconnected network as claimed in claim 29, wherein each ROUTE comprises a wave division multiplex (WDM) link.

48. The partially interconnected network as claimed in claim 47, wherein a number of wavelengths carried by each link is one less than the number of ROUTEs.

49. The partially interconnected network as claimed in claim 48, wherein individual wavelengths from one input WDM link are selectively taken to different output WDM links.

50. The partially interconnected network as claimed in claim 29, wherein at least one of the AREAs is without any of the Allocated Nodes.

51. The partially interconnected network as claimed in claim 33, and further comprising extra paths(EXTRA), wherein:

$(\text{AREAs}) \times (\text{AREAs}-1) \times (\text{CHOICES}) = (\text{STARs}) \times \{(\text{ROUTES}) \times (\text{ROUTES}-1) - (\text{EXTRA})\}.$

52. The partially interconnected network as claimed in claim 33, and further comprising missing paths (MISSING), wherein:

$(\text{AREAs}) \times (\text{AREAs}-1) \times (\text{CHOICES}) = (\text{STARs}) \times \{(\text{ROUTES}) \times (\text{ROUTES}-1) + (\text{MISSING})\}.$

53. The partially interconnected network as claimed in claim 29, wherein a number of the AREAs is interconnected to a further partially interconnected network having an equivalent number of the AREAs and a lesser number of STARs.

54. A plurality of partially interconnected networks, each partially interconnected network comprising: a plurality of Allocated Nodes each allocated to one of a number of Areas (AREAs); a plurality of Star Nodes (STARs); point-to-point interconnections between the Allocated Nodes and the STARs; a number of AREAs with Allocated Nodes which are interconnected to an individual STAR forming a number of Routes (ROUTES) from the individual STAR; the Allocated Nodes of a first of the AREAs being interconnected to a set comprising some, but not all, of the STARs; further of the AREAs being similarly interconnected to further sets each comprising STARs; at least one interconnection choice (CHOICE) between any two Allocated Nodes being in different AREAs; and an interconnection route comprising two point-to-point interconnections interconnected in series by one of the STARs, and each partially interconnected network

having a same number of STARS; and a corresponding STAR of each partially interconnected network being interconnected by a respective mesh network.

55. The partially interconnected network as claimed in claim 29, wherein the partially interconnected network is a telecommunications network.

56. A three-stage switch, comprising: at least four interconnection choices (CHOICES) between each pair of stages, each pair of stages being connected by a partially interconnected network comprising: a plurality of Allocated Nodes each allocated to one of a number of Areas (AREAs); a plurality of Star Nodes (STARS); point-to-point interconnections between the Allocated Nodes and the STARS; a number of AREAs with Allocated Nodes which are interconnected to an individual STAR forming a number of Routes (ROUTES) from the individual STAR; the Allocated Nodes of a first of the AREAs being interconnected to a set comprising some, but not all, of the STARS; further of the AREAs being similarly interconnected to further sets each comprising STARS; at least one of the CHOICES between any two Allocated Nodes being in different AREAs; and an interconnection route comprising two point-to-point interconnections interconnected in series by one of the STARS.

10/031253

531 Rec'd PCT/FT. 23 OCT 2001

PROPOSED NEW ABSTRACT

ABSTRACT OF THE DISCLOSURE

A partially interconnected network has a plurality of Allocated Nodes, each allocated to one of a number of AREAs, and further has a plurality of Star Nodes (STARs), and also has point-to-point interconnections between the Allocated Nodes and the STARs. The number of AREAs with Allocated Nodes connected to an individual STAR forms the number of ROUTEs from an individual STAR. The Allocated Nodes of a first of the AREAs are connected to a set comprising some, but not all, of the STARs. Further of the AREAs are similarly interconnected to further sets each comprising STARs. There is at least one connection choice between any two Allocated Nodes in different AREAs and where a connection route is two point-to-point interconnections connected in series by a STAR.

10031253.053102
20150523001

1 531 Rec'd PCT/PT 23 OCT 2001

NETWORK INTERCONNECTIONS

The interconnection of nodes within a network can be limited by a number of physical aspects, which can totally prevent some topologies, or make other topologies comparatively inefficient. Multistage networks are a way of building large networks from nodes of limited capability, but
5 restricting the number of stages traversed to a minimum is a very desirable goal.

It is desirable in practical multistage networks, particularly where the nodes are on different geographical sites, to restrict the total number of interconnection routes to any node.

Fully-interconnected 3-stage networks have a large CHOICE of ROUTEs which can cause considerable searching difficulties. A fully-interconnected network is shown in Figure 1, where
10 7 Area Nodes are fully connected via 7 STAR Nodes. Partially Interconnected Networks which have a smaller, but fixed, choice in the number of routes between all the nodes that wish to be interconnected, are of considerable benefit for the implementation of practically dimensioned networks.

According to the present invention there is provided a partially interconnected network
15 comprising a plurality of Allocated Nodes, which Allocated Nodes are each allocated to one of a number of AREAS, and further comprising a plurality of STAR Nodes (STARs), and also comprising point to point interconnections between the Allocated Nodes and the STAR Nodes, where the number of AREAs with Allocated Nodes connected to an individual STAR forms the number of ROUTEs from an individual STAR, the Allocated Nodes of a first of the AREAs
20 being connected to a set comprising some, but not all, of the STAR Nodes, and wherein further of the AREAs are similarly connected to further sets each comprising STAR Nodes and where

there is at least one connection choice (CHOICE) between any two Allocated Nodes in different AREAs and where a connection route comprises two point to point interconnections connected in series by a STAR Node.

The present invention will now be described by way of example, with reference to the accompanying drawings, in which,

Figure 1 shows a schematic diagram of a fully-interconnected network;

Figure 2 shows a schematic diagram of a fully-meshed network;

Figure 3 shows a schematic diagram where one AREA is connected to 5 STARS;

Figure 4 shows a schematic diagram where STARS are each connected to 5 AREAs;

Figure 5 shows the connections in the diagram of Figure 4 in tabular form;

Figure 6 shows the contiguous sequences from Figure 4;

Figure 7 shows the connections of a counter rotational version of Figure 5 in tabular form;

Figure 8 shows the example of Figure 5 where the AREAs and STARS have been reordered;

Figure 9 shows a schematic diagram using a single SDH-AREA Crossconnect;

Figure 10 shows a schematic diagram using a pair of SDH-AREA Crossconnect;

Figure 11 lists examples of Rotational Patterns;

Figure 12 lists examples of Other Patterns;

Figure 13 shows an example of a twin choice pattern;

Figure 14 shows an example of a triple choice pattern;

Figure 15 shows an example of a quad choice pattern;

Figure 16 shows an example of a quin choice pattern;

Figure 17 shows a network using SDH interfaces on DSS mk2;

Figure 18 shows an example of a Multi-Rotational Pattern;

Figure 19 shows an Asymmetric Twin CHOICE network;

Figure 20 shows a Symmetrical Twin CHOICE Pattern :

Figure 21 shows a re-ordered example of a Symmetrical Twin CHOICE Pattern:

Figure 22 shows an Equally Grouped Asymmetric single CHOICE Pattern

Figure 23 shows an Unequally Grouped Asymmetric single CHOICE Pattern:

5 Figure 24 shows an Asymmetric Twin CHOICE network for 10 AREAs;

Figure 25 shows an Asymmetric Triple CHOICE network for 8 AREAS:

Figure 26 shows an Asymmetric Twin CHOICE network

Figure 27 shows a Single CHOICE Asymmetric Pattern using 3-pointed STARS:

Figure 28 shows a Single CHOICE Asymmetric Pattern based on an odd square:

10 Figure 29 shows a 30 AREA Single CHOICE network using 5-pointed STARS;

Figure 30 shows a 56 AREA Single CHOICE network using 7-pointed STARS

Figure 31 shows a 15 AREA Single CHOICE network using 3-pointed STARS:

Figure 32 shows a 21 AREA Single CHOICE network using 3-pointed STARS:

Figure 33 shows a 27 AREA Single CHOICE network using 3-pointed STARS :

15 Figure 34 shows a Patially Interconnected Network having 11 AREAs and 11 off 5-pointed STARS:

Figure 35 shows a WAVESTAR for use in the mesh network of Figure 34;

Figure 36 shows the WAVESTAR connections to AREA 9 in Figure 34;

20 Figures 37 and 38 show a form of the original single choice 7 AREAs and 7 STARS pattern and its twin CHOICE converse which can be used to construct larger patterns;

Figures 39, 40, 41 and 42 show examples of patterns formed using smaller original and converse patterns:

Figures 43 and 44 show a Digital Switching Subsystem (DSS);

Figures 45A and 45B show a DMR transfer function:

25 Figure 46 shows an interconnection pattern for 20 NODEs:

Figure 47 shows the detail of AREA 4 of Figure 46:

Figure 48 shows a pattern using Perfect and Imperfect Constellations:

Figure 49 shows a pattern illustrating the application of 7 Mesh STARs:

Figure 49A shows the detail of a Mesh STAR from Figure 49; and

- 5 Figure 50 shows an example where there are multiple Partially Interconnected Networks with Mesh Connections between corresponding STARs.

Figure 1 gives an example of a fully-connected 3 Stage Network where 7 AREAs (Nodes) are fully interconnected via 7 STARs Nodes giving 7 routes between each pair of AREAs (Nodes).
10 whereas Figure 2 shows a fully meshed network. The disadvantage of a fully meshed network is that as the number of AREA Nodes increases so the size of the routes between the AREA Nodes has to be reduced, if the switches at the AREA Nodes are already at maximum capacity.

In order to utilise regular interconnect patterns in networks with a variable number of local
15 nodes (e.g. local exchanges), it is necessary to group the local nodes into areas. AREAs are not intended, in general, to represent geographical areas, though they may do so.

A number of regular interconnection patterns will now be shown where the number of STAR nodes (e.g. trunk exchanges) equals the number of AREAs (or an integral multiple of the
20 number of AREAS). Further interconnection patterns will be shown where the number of STAR nodes does not equal the number of AREAs (or an integral multiple of the number of AREAS).

It is stressed that the number of circuits (or capacity) handled by a route will depend on the physical capacity of the transmission. The key aspect of the present invention is which nodes

have routes between them, the capacity of each route being a separate dimensioning issue and in practical networks the routes may not all have the same capacity/number of circuits.

A simple 3-stage network could have all the local nodes connected to all the STAR (Trunk) Nodes. For a Partially Interconnected Network: all the Local Nodes in an area are connected to a fixed number of STAR Nodes, but not to all the STAR Nodes.

Partially Interconnected Networks will have a fixed choice in the number of connection routes between a local node in one area and a local node in another area. This fixed number will be called CHOICE, as where there is more than one connection route a choice can be made between them. Where the CHOICE is one this is described as a Single Connectivity Pattern, where the CHOICE is two a Twin connectivity Pattern, etc.

For the purpose of understanding the patterns described it is easier to concentrate on the relationships between the AREAs and the STARS

One object of the present invention is to determine regular Partial Interconnection Networks with Single, Twin, etc. connectivity patterns. For there to be a possibility of this to happen the following relationship needs to be valid:

$(AREAs) \times (AREAs - 1) \times (CHOICES) = (STARS) \times (ROUTES) \times (ROUTES - 1)$ where

AREAs is the number of AREAs, CHOICES is the fixed number of connection routes, STARS is the number of STAR Nodes, ROUTES is the number of AREAs to which a STAR has connections.

This formula is only valid for integer values of AREAs, CHOICES, STARs and ROUTEs. The object of the formula is to match the total number of single routes between the areas (AREAs) x (AREAs - 1) with the number of routes provided by each STAR Node, (ROUTES) x (ROUTES - 1) multiplied by the number of STARs. For multiple choice arrangements the STARs must provide 2, 3, etc. times the number of routes.

Just because there is a possibility of finding a fixed choice connectivity pattern does not mean that any such pattern exists. The following relationship also needs to be valid:

$$(\text{STARs}) \times (\text{ROUTES}) / (\text{AREAs}) = \text{a positive integer}$$

This further relationship is of importance when the number of STARs is not equal to the Number of AREAs.

The benefits from using Partially Interconnected Networks (rather than not using) include:

building larger networks with the same size switch:

building the same network with less switches:

building larger networks from switches with limited numbers of ports:

reducing the number of switches that are traversed:

having multiple CHOICE routing;

having fault tolerant characteristics with "1 in N" sparing;

having effective growth characteristics:

having simple self-balancing traffic characteristics:

having larger route sizes as number of STARs increases:

being independent of switching technology.

Two important points to be remembered are, firstly that the network routing pattern can be expressed as a simple table (especially ones based on rotational patterns) and secondly that once the routing pattern is defined, the actual capacity of the individual connections and paths do not have to be the same size. In the PSTN for example a connection is normally made up from multiple primary rate multiplexes and this can still continue.

The segregation of Outer Nodes into AREAs should not necessarily be done so that there are the same number of Outer Nodes per AREA, but that the total traffic generated by an AREA should preferably not be widely dissimilar from the other AREAs.

Most traffic between Outer Nodes associated with the same AREA can be routed via a nearby STAR, although any of the STARs connected to that AREA can be used as alternatives.

There is a possible disadvantage with being connected to a STAR on the same site as the AREA Crossconnect. The two alternate routings between two adjacent AREAs may be carried by the same transmission system. There are patterns which ensure the alternative routings do not go along the same notional link, but these tend to require that an AREA N is not connected to a STAR N.

In the arrangements shown below the AREAs and STAR Nodes are cyclically numbered for ease of explanation, but this identification is not an essential feature of the invention and other identifiers may be used or none at all.

Consider 21 AREAs and 21 STARs as shown in Figures 3, 4 and 5:

AREA 1 is connected to STARs 1, 6, 8, 18, 21,

AREA 2 is connected to STARs 2, 7, 9, 19, 1,

AREA 3 is connected to STARs 3, 8, 10, 20, 2 etc.

To traverse from AREA 1 to AREA 2 there is only one route and that is via STAR 1

To traverse to other areas

1 to 3 via STAR 8	1 to 4 via STAR 21	1 to 5 via STAR 1
1 to 6 via STAR 6	1 to 7 via STAR 6	1 to 8 via STAR 8
1 to 9 via STAR 8	1 to 10 via STAR 6	1 to 11 via STAR 18
1 to 12 via STAR 8	1 to 13 via STAR 18	1 to 14 via STAR 21
1 to 15 via STAR 1	1 to 16 via STAR 21	1 to 17 via STAR 1
1 to 15 via STAR 1	1 to 16 via STAR 21	1 to 17 via STAR 1
1 to 18 via STAR 18	1 to 19 via STAR 18	1 to 20 via STAR 6
1 to 21 via STAR 21		

For the pattern shown in Figure 4 to have the single connectivity property listed above, the connections to a STAR from an AREA must have the property of a set forming a contiguous sequence. This is where all the modulo differences of the numbers allocated to the cyclically numbered STAR Nodes (connected to an AREA) selected in pairs form a contiguous sequence from one to the number of cyclically numbered AREAS less one.

For this example which uses 21 AREAS with connections to 5 STARS (namely 1, 6, 8, 18 and 21) out of a Constellation of 21 STARS (Figure 6) there are 10 pairings of STARS and the modulo differences are as follows:

STAR Pairings	Modulo Differences
	SPANNING DIFFERENCES
1 21	1 & 20
6 8	2 & 19
18 21	3 & 18
1 18	4 & 17

9

	1	6	5	&	16
	6	21	6	&	15
	1	8	7	&	14
	8	21	8	&	13
5	6	18	9	&	12
	8	18	10	&	11

For each such fixed choice rotational connectivity pattern there is a similar, but counter-rotational version of the pattern of Figure 5, which is shown in Figure 7.

10

An arrangement of STARS (e.g. 21 STARS) is called a Constellation. For a network that requires twice the throughput then a second constellation could be connected in parallel to the first constellation. In such a case by using a fixed choice counter rotational connectivity pattern, then a significant advantage results. This not only adds redundancy, but also if a STAR should fail then the traffic formerly carried by the failed STAR could be shared between 4 STARS in the other 21 STAR Constellation.

15

The use of regular rotational patterns which provide contiguous sequences is a convenient way to analyse and deduce Partially Interconnected Networks which have a fixed choice connectivity for example single connectivity, twin connectivity, etc. However, once the connectivity pattern has been established the pattern can be transformed by reordering the AREAs and by reordering the STAR Nodes, whilst still retaining an equal number of connection routes between any two Local nodes in different areas. A connection route comprises two point-to-point interconnection means connected in series by a STAR Node, see Figure 8. The AREAs and STAR Nodes can

20

also be renumbered. The original AREA and STAR numbering used on Figure 5 is shown on the bottom and right respectively on Figure 8.

The use of Partially Interconnected Networks is appropriate to telecommunications networks which have local exchanges and trunk exchanges. The local exchanges are grouped into areas and connected to a set of STAR Trunks. In order to simplify transmission connections the use of an AREA Crossconnect can be considered. A Synchronous Digital Hierarchy (SDH) Crossconnect, or a pair of SDH Crossconnects for redundancy, Figures 9 and 10 respectively, can be employed. Two Synchronous Transport Module (STM)-1s are connected to a local, a pair of locals or 3 locals one being taken to each of the two Crossconnects making an AREA Crossconnect. A first set of STM-1s is taken to the STAR Trunks (normally one per star) from a Replica A. A second set of STM-1s is taken to the STAR Trunks (normally one per STAR) from Replica B.

The use of Partially Interconnected Networks is also appropriate to packet, router, transmission and indeed any large network where the sizes of switches are limited, or where redundant architectures are required.

In data networks running with the Internet Protocol (IP) the AREA Crossconnect could be an IP router, or a pair of IP routers for redundancy, or an ATM switch, or a pair of ATM switches for redundancy.

Figure 11 lists some examples of the rotational patterns where the number of STARs equals the number of AREAs or a multiple of the number of AREAs. The pattern examples detail the

AREAs connected to STAR 1 for rotational and multi-rotational patterns. Figure 12 lists some examples of non- rotational patterns.

Figure 11 and Figure 12 also list patterns that can be formed by taking a known
5 CONSTELLATION using 7-pointed STARS and replacing all (or some) of the 7-pointed
STARS with 7 three- pointed STARS. They also lists patterns that can be formed by taking a
known constellation using 4-pointed STARS and replacing all (or some) of the 4-pointed STARS
with 4 three- pointed STARS, the final pattern having twice the number of CHOICES. Similarly
7-pointed STARS can be replaced by 7 four-pointed STARS. Such transforms considerably
10 increase the traffic carrying capacity of a network.

Another way of increasing capacity is by adding another complete constellation, however if only
one or some STARS are overloaded then by just placing a further STAR in parallel with an
existing STAR this will also increase the capacity of the overloaded part of the network.

15 Although the network may have extra choices on some routes, this is still a very practical
network. It is possible to limit the choices in the routing tables to restrict the choices whilst still
retaining the increased load capacity.

Examples of Twin (Figure 13), Triple (Figure 14), Quad (Figure 15) and Quin (Figure 16)
20 choice rotational connectivity patterns are shown on the indicated figures. The use of computer
programs to look for valid contiguous spanning sequences can simplify the examination process.

Digital Switching Subsystem (DSS) mark 2 terminates STM-1 or part STM-1 as shown in
Figure 17. DSS mark 2 is a subsystem of System X, which is a telecommunication system
25 marketed by Marconi Communications Limited. G.703 is a telecommunication interface

recommendation by the International Telecommunications Union Telecommunications (ITU-T). The line shelf used can also terminate STM-4s. A STAR Trunk receives 6 x STM-1s from the 5 AREAS. DSS mark 2 can accept 30 or 31 STM-1s. The description is based on dedicated STM-1 transmission but Plesiochronous Digital Hierarchy (PDH) and STM-4s can be used where appropriate and all transport could also be patched through the general 2 Mbit/s network.

It is possible to have Partially Interconnected Networks where the number of STARs is not an integer multiple of the number of AREAS. Figure 18 shows an example of this where two different rotational arrangements are used to create a 3 CHOICE pattern. Other examples are listed in figure 11 for using 2, 3, 4 and 5 rotational arrangements to create both single and twin choice patterns.

It is also possible to have Partially Interconnected Networks where the number of STARs is not an integer multiple of the number of AREAS, although $(\text{STARs}) \times (\text{ROUTES}) / (\text{AREAS})$ must be an integer. Figure 19 shows an Asymmetric twin choice network for 12 AREAs with 44 STARs which has 4 different patterns of 11 stars which rotate around 11 of the 12 AREAs and in which a large number of 3-pointed STARs are used.

Figure 20 has 16 AREAs and 16 STARs, but it is not formed from a single rotational pattern, but from 4 patterns. It is a twin CHOICE network giving redundancy with each numbered STAR being connected to the same numbered AREA. Because of its symmetry it only requires a total of 40 transmission links between the 16 AREA Nodes / (Crossconnects/Routers and the 16 STAR Nodes. However some care would be required as both paths of some redundant pairs of paths are carried by the same transmission link.

Figure 21 is a redrawn form of Figure 20, but without each numbered STAR being connected to the same numbered AREA. 48 transmission links are required between the 16 AREA Nodes /Crossconnects/Routers and the 16 STAR Nodes, but this time no redundant pairs of paths are carried by the same transmission link.

5

Figures 22 and 23 are two ways, using different groupings, that single connectivity networks can be formed for 16 AREAs and 20 STARS. These are examples of where the number of AREAs is neither equal to the number of STARS nor an integer multiple of the number of STARS. The figures are drawn with each numbered AREA being connected to the same numbered STAR.

Figure 24 uses 4-pointed STARS, but with 3 groups of 3 and 1 group of 1 to give a twin choice network for 10 AREAs using 15 STARS.

Figure 25 shows an Asymmetric Triple CHOICE network where the AREAs have been divided into two groups of 4 and 4-pointed STARS are used.

Figure 26 shows an Asymmetric Twin CHOICE network which has been drawn with each numbered STAR being connected to the same numbered AREA. Some of the following patterns are not drawn this way where it is easier to show how a range of patterns can be constructed from a basic concept.

Figures 27 and 28 both have 9 AREAs and 12 STARS, but the two figures have been drawn in slightly different ways.

Figure 28 is the first of an infinite series of patterns: where the STARs have an odd number of ROUTEs {ROUTEs equals an odd integer}; where the number of AREAs is the square of the number of ROUTEs on the STAR i.e. {AREAs = (ROUTEs) x (ROUTEs-1)}; and where the number of STARs = (ROUTEs) x (ROUTEs+1). In this case ROUTEs = 3, AREAs = 9, STARs = 12.

Figure 29 shows the second in the series where ROUTEs = 5, AREAs = 25, STARs = 30.

Figure 30 shows the third in the series where ROUTEs = 7, AREAs = 49, STARs = 56.

Some more in this series are listed in Figure 12.

Figure 27 is the first of an infinite series of patterns using 3-pointed STARs where there are an odd number of groups and each group contains 3 AREAs.

Figure 31 is the second of the series with 35 off 3-pointed STARs connecting 15 AREAs. It shows the same pattern in three ways in order to help explain the notation used in later figures. The extra numbers to the right of the first pattern show the numbering of the STARs that would be necessary so that AREAs can be connected to a STAR with their own number.

Figure 32 is the third of the series with 70 off 3-pointed STARs connecting 21 AREAs. The first seven STARs are used to connect the AREAs together within a group with the remaining STARs used to connect 3 STARs from 7 of the groups.

Figure 33 is the fourth of the series with 117 off 3-pointed STARs connecting 21 AREAs. The first seven STARs are used to connect the AREAs together within a group with the remaining STARs used to connect 3 STARs from 9 of the groups. Figure 33 has been drawn showing how

9 STARS use the same pattern that has been shifted round by one. There are 12 such shifted patterns. The same form of pattern is used in each of the columns. In the first column the spacing of the '1's is increased by one between each arrangement of 9 STARS whilst the '2' is always equidistant from each of the '1's.

5

A Partially Interconnected Network may be created where the STARS are WAVESTARS, that is the links are optical links.

Considering a network as shown in Figure 34 where a full mesh is required between all the 11 AREAs, $A=11$. Consequently $A(A-1)$ direct simplex links, in this case 110, would be required. Yet this would result in only a single CHOICE network and there would be no redundancy. The full mesh required is achieved, in Figure 34, by using 11 WAVESTARS, each with 5 ROUTES. Each AREA is connected to 5 WAVESTARS and each WAVESTAR is connected to 5 AREAs.

15 A detailed arrangement of each of the WAVESTARS is shown in Figure 35. Such a WAVESTAR uses Wavelength Division Multiplexes of four wavelengths.

Further detail is shown in Figure 36, where AREA 9 is shown having duplex WDM connections to WAVESTARS 3, 6, 8, 9 and 10.

20 If WAVESTARS are considered only as a special form of repeater then there are only 55 simplex connections for this redundant twin CHOICE Partially Interconnected Network, compared with the 110 simplex connections for the unsecured single CHOICE mesh network.

Each WAVESTAR can be a passive optical device, probably with an optical amplifier on each input and output. The loss of an amplifier would not lead to the whole WAVESTAR being removed from service.

Using WAVESTARs enables diverse redundant mesh network topologies to be constructed
5 from a reduced number of high bandwidth WDM links

For networks it may often be adequate to have just 2 or 3 CHOICES of routing. However, for a large three-stage switch which is made up from switching elements and which has multiple first stage switching elements, multiple second stage switching elements and multiple third stage switching elements, then if a Partially Interconnected Network is used to join the said first stages to the said second stages and is also used to connect the said second stages to the said third stages, then networks having a large number of CHOICES seem to be much more appropriate. Some very useful arrangements are achieved when:

$$\text{CHOICES} = \text{a binary power of 2}$$

$$(\text{CHOICES}) \times 2 = \text{ROUTES}$$

$$(\text{ROUTES}) \times 2 = \text{AREAs} + 1$$

$$(\text{ROUTES}) \times 2 = \text{STARs} + 1$$

$$\text{and } \text{AREAs} \times (\text{AREAs} - 1) \times \text{CHOICES} = \text{STARs} \times \text{ROUTES} \times (\text{ROUTES} - 1)$$

20	7	x	4	x	2	=	7	x	4	x	3
	15	x	14	x	4	=	15	x	8	x	7
	31	x	30	x	8	=	31	x	16	x	15
	63	x	62	x	16	=	63	x	32	x	31
	127	x	126	x	32	=	127	x	64	x	63

$$\begin{array}{ccccccccc} 255 & \times & 254 & \times & 64 & = & 255 & \times & 128 & \times & 127 \\ 511 & \times & 510 & \times & 128 & = & 511 & \times & 256 & \times & 255 \end{array}$$

Figures 37 and 38 show an original single CHOICE pattern of 7 AREAs and 7 STARs (Figure 37) and its converse twin CHOICE pattern of 7 AREAs and 7 STARs (Figure 38). The converse pattern is formed by replacing each entry of a '1' with a null entry and replacing each null entry with a '1'. By taking one copy of one of these patterns and three copies of the other a larger pattern can be formed providing, that an appropriate extra column and row are added each time a larger pattern is formed in such a way.

In Figures 39 and 40 are shown 15 AREAs/15 STARs, 3 CHOICE and 4 CHOICE patterns respectively, formed from 3 Original 7x7 patterns and 1 Converse 7x7 pattern and 1 Original 7x7 pattern and 3 Converse 7x7 patterns, respectively.

In Figures 41 and 42 are shown 31 AREAs/31 STARs, 7 CHOICE and 8 CHOICE patterns respectively, formed from 3 Original 15x15 patterns and 1 Converse 15x15 pattern and 1 Original 15x15 pattern and 3 Converse 15x15 patterns, respectively.

The Rotational patterns for 31 AREAs/STARs and 63 AREAs/STARs patterns are known and hence the converses are also known. The larger patterns for 127 AREAs/STARs, 255 AREAs/STARs. 511 AREAs/STARs, etc can be constructed, in a similar manner shown.

The 64 kbit/s switch DSS (Digital Switching Subsystem) mk2 as used in System X and as described in patent GB2212364B, in particular figures 3 and 4 thereof as shown in Figures 43 and 44 respectively herein, ~~GB 2212364B being imported herein for reference has;~~

256 first stage switching elements (256x384 channels)

384 second stage switching elements (256x256 channels)

256 third stage switching elements (384x256 channels)

where the unsquare switching elements are each formed from two 256x256 channel switching Integrated circuits. System X is a Stored Program Control exchange system first installed in the United Kingdom.

This telecommunications switch has a partial CLOS expansion of 256 to 384 second stage switching elements, so although DSS Mk2 is not a fully non-blocking switch it has an extremely low blocking probability. Thus DSS mk2 handles 2048 PCMs of 2 Mbit/s and switches a total of 65,536 channels of 64 kbit/s. By using the largest of the pattern listed above, namely 511 AREAs, 511 STARs, 256 ROUTEs and 128 CHOICES, a switch of 4080 Pulse Code Modulation (PCMs) of 2 Mbit/s, handling 130,560 channels can be constructed with a similar blocking probability to the original DSS mk2 as used in System X. This new switch could be formed from:

511 first stage switching elements	(256x512 channels)
1022 second stage switching elements	(256x256 channels)
511 third stage switching elements	(512x256 channels)

where the unsquare switching elements are each formed from two 256x256 channel switching Integrated circuits.

The 511 first stage switching elements (using 256 of the outputs of each switching element) are connected to 511 of the second stage switching elements which in turn are connected to the 511 third stage switching elements (using 256 of the inputs of each switching element) by employing the connection pattern mentioned above.

An identical connection pattern is used to connect the other 256 outputs of the first stage switching elements to the other 511 second stage switching elements which in turn are connected to the remaining 256 inputs of the third stage switching elements.

- 5 However as the switching elements already have 8 outputs, a more practical implementation would be to use 8 Partially Interconnected Networks in parallel. Consequently by using the pattern with 63 AREAs, 63 STARs, 32 ROUTEs and 16 CHOICES as shown in Figure 46, a switch of 4032 PCMs of 2 Mbit/s, handling 129.024 channels can be constructed with a similar blocking probability to the original DSS mk2 as used in System X. This new switch could be
- 10 formed from:

504 first stage switching elements	(256x512 channels)
1008 second stage switching elements	(256x256 channels)
504 third stage switching elements	(512x256 channels)

where the unsquare switching elements are each formed from two 256x256 channel switching

- 15 Integrated circuits.

With reference to figure 4 of the said patent (Figure 44 herewith), the 32x32 Demultiplexing/Mixing/Remultiplexing (DMR) devices would become 63x63 DMR devices, but still only having a 32 timeslot loop. The other changes to the diagram would be:

- 20 8x16 DSMs in first stage
- 0-503 first stage PLANES
- 0-4031 PCM lines into first stage
- 0-15 SUPER PLANES each with 0-62 DSMs
- 16x8 DSMs in third stage

0-503 third stage PLANES

0-4031 PCM lines out from third stage

The transfer function of the resulting DMR is shown in Figures 45A and 45B which are
5 combined horizontally.

There are many ways that Partially Interconnected Networks can be deployed.

One of the most important aspects of large networks is their need to grow (or contract) over a
10 period of time.

The first example explains the concept of having many outer nodes in an AREA.

The second example uses a combination of a Perfect Pattern and an Imperfect Pattern to enable
a network to be doubled in size.

The third example uses a Partially Interconnected topology, but uses a distributed mesh of
switches to form each STAR.

The fourth example has several similar Partially Interconnected Networks where corresponding
20 STARs in each network are connected together using a distributed mesh topology.

1: A BASIC EXAMPLE

Considering 20 nodes that need to be interconnected where it is deemed impractical to connect
all the nodes into a mesh, or to connect all the 20 nodes to one or two central nodes (for example
25 because of power or port limitations). It is also required normally that for redundancy there must

be at least two routings through the network. There is no perfectly regular twin CHOICE interconnection pattern with say 20 Outer Nodes and about 6 central nodes each with no more than 12 ports. In most networks the perception is that if there are a number of Outer Nodes then a lesser number of central nodes are required to join them together.

5

For example the average PSTN has more Local exchanges than Trunk Exchanges. However, if some compromises are made to the basic example then a practical solution is available. Figure 46, which is based on the twin CHOICE network of Figure 13 which shows an arrangement where there are actually 21 Outer Nodes and 7 STARS (Central Nodes). An Outer Node can be omitted to meet the requirement of 20.

10

It may seem to be a five stage network:

Outer Node - AREA - STAR - AREA - Outer Node:

but the AREAs can purely be patch panels, or a fixed setting on a cross-connect, because an AREA does not have to be an active Switching Node.

15

Figure 47 shows in more detail the arrangements around the AREA 4. The connection from a STAR into an AREA can consist of 3 links which each go directly to associated Outer Nodes. As a STAR, in this example, is connected to 4 AREAs, the STAR has links to 12 of the Outer Nodes provided all AREAs have 3 Outer Nodes. However regardless of the number of Outer Nodes within an AREA, all the Outer Nodes are connected to 4 STARS.

20

Even if the example had specified 21 Outer Nodes and 7 STARS, there is still a compromise in this network. An Outer Node should have just have a CHOICE of two routings to each of the other Outer Nodes. Outer Nodes connected to Outer Nodes in other AREAs have 2 routings, but Outer Nodes have 4 CHOICES of routing to each of the other 2 Outer Nodes belonging to their

25

own AREA. This is a direct consequence of having more than one Outer Node per AREA. However in many networks there is more traffic within an AREA than between AREAs.

Two points to be remembered are: firstly that the network routing pattern can be expressed as a simple table (especially where based on rotational patterns); and secondly that once the routing pattern has been defined the actual capacity of the individual connections and paths do not have to be the same size. In the PSTN for example a connection is normally made up from multiple primary rate multiplexes and this can still continue.

The segregation of Outer Nodes into AREAs should be done not necessarily so that there are the same number of Outer Nodes per AREA, but that the total traffic generated by an AREA should preferably not be widely dissimilar from the other AREAs.

A characteristic that can also be seen in Figure 46 is that each AREA has, adjacent to it, a STAR of the same number. This can mean that most traffic between Outer Nodes, associated with the same AREA, can be routed via a nearby STAR, although any of the STARs connected to that AREA can be used as alternatives.

There is a possible disadvantage with being connected to a STAR on the same site as the AREA Crossconnect. The two alternative routings between two Adjacent AREAs may be carried by the same transmission system. There are patterns which ensure the alternative routings do not go along the same notional link, but these tend to require that an AREA N is not connected to a STAR N.

PSTN

The basic example can be directly deployed by the PSTN.

A long distance path across a large PSTN normally results in the path passing through more than one Trunk Exchange. Partially Interconnected Networks are suited for 3-Stage networks. And so

5 3-stage structures must be created in order to take advantage of Partially Interconnected Networks for all types of Network.

In this basic example a 3-stage arrangement is achieved by making the Local Exchanges (Outer Nodes) the first and the third stages and having one level of Trunk Exchanges (STARs) to act as the second stage. In order to do this the Local Exchanges must have some network routing
10 capability as multiple STAR Trunk Exchanges will be directly connected to each Local Exchange.

The basic example described used one of the standard Twin CHOICE patterns. Unfortunately the list of these is not very long. So choosing the initial pattern is restricted and growing by
15 transforming to the next pattern will seldom if ever be ideal.

2: A COMBINATION OF PERFECT AND IMPERFECT PATTERNS EXAMPLE

As most large networks need redundancy either a Twin CHOICE network, or two Single
20 CHOICE networks, will be required initially.

When the number of AREAs equals the number of STARs, then assuming a STAR can handle a certain amount of traffic, then each AREA should on average be organised to generate up to that amount of traffic. If there are twice the number of STARs to AREAs then an AREA should
25 generate on average up to twice the capacity of a STAR.

To grow two Single CHOICE networks can be done by adding a third Single CHOICE network with the same number of AREAs and STARs as the first two. This gives a 50% increase in capacity.

5

Adding a Single CHOICE network to an existing Twin CHOICE network would be much better as firstly the self balancing of a twin CHOICE network is much better than that of two Single CHOICE Networks and secondly 100% growth could be achieved if the single and twin CHOICE networks have the same number of STARs. Unfortunately apart from 7 AREAs and 7 STARs networks which both have twin and single CHOICE Perfect patterns versions, none of the others do. However a large range of Imperfect patterns exist.

10

So if the 37 AREAs and 37 STARs Twin CHOICE network is used initially, then an Imperfect pattern with 37 AREAs and with 37 (or more) STARs can be added as required.

15

For the 37 AREAs and 37 STARs Twin CHOICE network, because the STARs are connected to 9 AREAs, the load balancing is very good, consequently under fault conditions if one STAR Trunk is unavailable its traffic is shared across all the other 36 STAR Trunks. This could be regarded as the ultimate automatic '1 in N sparing' Network.

20

Perhaps the ideal way to grow a Twin CHOICE Partially Interconnected Network would be to add individual STARs, of a Single CHOICE Constellation, as the average Network Load increases. The load balancing algorithm used needs to ensure that sufficient traffic is carried by the added STARs.

25

For a Twin CHOICE network with 37 AREAs and 37 STARS, it would be convenient if there was also a perfect Single CHOICE network with 37 AREAs and 37 STARS, because there cannot be a Perfect Partially Interconnected Network with STARS less than AREAs. Unfortunately there is no perfect pattern, with 37 AREAs and 37 STARS, but as has been
5 mentioned earlier several patterns for 37 AREA networks have been listed.

There is a Multi-Rotational pattern with 37 AREAs which has 111 STARS each with 4 ROUTEs. However these STARS which have 4 ROUTEs only support paths between 6 AREAs, whereas STARS with 9 ROUTEs support 36 paths. So it seems sensible to try and use STARS
10 with as many ROUTEs as possible.

The following Imperfect patterns with 37 AREAs have already been described::

- A Single CHOICE pattern with 54 STARS: 1 STAR of 7
15 ROUTEs: 23 STARS of 6 ROUTEs: and 30 STARS of 5 ROUTEs:
- A Single CHOICE pattern with some extra paths with 37 STARS all of 7 ROUTEs:

Either of the above could be used to expand the capacity, but the last one having STARS with 7
20 ROUTEs will probably give the most flexible network. This is shown in Figure 48.

There are also some other options which may be of use in certain circumstances:

- a) adding a smaller constellation onto some of the AREAs;
- b) adding a smaller constellation onto larger AREAs;
- 25 c) adding a STAR in parallel with each overloaded STAR:

Because of the self balancing nature of a twin CHOICE 37 AREAs and 37 STARs network, the incremental addition of individual STAR Trunks as traffic increases allows for increases of traffic to be fairly easily catered for. The addition of 37 more STARs should allow for the load to double.

Another example of a combination of a Perfect and an Imperfect Pattern could be with an Imperfect Twin CHOICE pattern of 57 AREAs and 57 STARs and a Perfect Single CHOICE 57 AREAs and 57 STARs.

Figure 48 is suitable for a large PSTN. The secured AREA function could be a pair of SDH crossconnects and most of the links could be one (or more) STM-1 equivalents. It uses the Trunk exchanges very effectively as only one needs to be traversed for any connection. Although the crossconnect makes the transmission much more straight forward than for an equivalent mesh network, the number of ROUTEs that have to be supported by the local exchanges is quite large.

3: A SINGLE PARTIALLY INTERCONNECTED NETWORK EXAMPLE

WITH A DISTRIBUTED MESH OF SWITCHES TO FORM EACH STAR

For small Partially interconnected networks the outer switches of each AREAs (e.g. local exchanges) are only connected to a few STARs, just 4 in the case of Figure 46. However the outer switches are connected to a great many more STARs for large Partially Interconnected Networks such as 16 STARs in Figure 48. So although it is only necessary to go through one central switch, it may be considered unacceptable to have each outer switch connected to so many STARs.

Combinations of Partially Interconnected Networks and Mesh networks are possible as explained in this and the next example.

- 5 The mesh network as shown in Figure 2 has only 7 AREAs. Some mesh networks may ideally need to have as many as a hundred major switches or routers connected together in a mesh. As already mentioned this would not be the easiest of implementations.

Figure 49, which is derived from the twin CHOICE network of Figure 13, represents a network
10 which contains 7 separate mesh networks (instead of 7 STARs). The Outer Nodes, as represented in AREA 2, are each connected to 4 of the mesh nodes. For simplicity each mesh is shown as having four switches in the main part of Figure 49. Hence with this arrangement, there are two paths available, via two different meshes, between an Outer Node in one AREA and an Outer Node in another AREA. (The circular symbols represent part of the transmission
15 medium and need not be active switches.)

In this example the Outer Nodes of an AREA are connected to the same 4 switches in each of 4 Distributed Mesh STARs which will be referred to later.

- 20 For larger networks each STAR mesh can of course contain more switches than four. If a STAR mesh contained say 12 switches, (giving a total of 84 switches) then the Outer Nodes in an AREA could be connected to one of 3 switches in a mesh (they would still be connected to 4 STAR meshes). In which case the transmission used to connect the switches together in a STAR mesh could also be of the form of a Partially Interconnected Network, as shown in the
25 insert (Figure 49A) of Figure 49, using 4 Transmission STAR Nodes A, B, C and D. This

corresponds to the first Twin CHOICE pattern in list 2, which has 4 AREAs. Each AREA containing a multiple set of switches.

It should be remembered that smaller meshes, need less ports and therefore each port can be of high bandwidth.

Larger networks can also be made by using larger Partially Interconnected networks and more STAR mesh networks; or in some cases a very large (STAR) Router instead of a STAR mesh, where the distributed nature of a STAR mesh is not required and the switches has sufficient ports.

A useful feature of this example is that the 7 meshes can be grown independently of each other.

4: MULTIPLE PARTIALLY INTERCONNECTED NETWORKS EXAMPLE

WITH MESH CORRECTIONS BETWEEN CORRESPONDING STARs

In the previous example it was noted that the Outer Nodes of an AREA are connected to the same 4 switches in each of 4 Distributed Mesh STARs. This results in a fully connected network of the type shown in Figure 1. This is a less efficient network structure as compared with this next example. Figure 49 shows a total of 28 switches, making the 7 STARs. It is only the connections within the same AREA, which traverse just one switch; and they are a seventh of the possible network connections.

It should not be assumed that connection destinations always are randomly spread across the network. However for the purposes of simple comparisons that has been assumed.

Figure 50 shows 4 Regional Partially Interconnected Networks, where connections within a region need only pass through one STAR. The total network has 28 switches again, but this time the fraction of connections traversing one switch is now a quarter.

- 5 Star Trunks when used to implement Partially Interconnected Networks enable far more effective trunk networks to be achieved than by the use of the present two-stage network as shown in Figure 2. Double and Triple Connectivity patterns are very appropriate to new operator networks. The technique can also be applied to Router networks and transmission (e.g. Megastream) networks.
- 10 From the foregoing it can be appreciated that the scope for arrangements conforming to the present invention is extremely large.

1003493 053103
20150103 1003493 053103

CLAIMS

- 1 A partially interconnected network comprising a plurality of Allocated Nodes, which
 5 Allocated Nodes are each allocated to one of a number of Areas (AREAs), and further
 comprising a plurality of Star Nodes (STARs), and also comprising point to point
 interconnections between the Allocated Nodes and the Star Nodes, where the number of
 AREAs with Allocated Nodes interconnected to an individual Star forms the number of
 Routes (ROUTES) from an individual STAR, the Allocated Nodes of a first of the
 10 AREAs being interconnected to a set comprising some, but not all, of the STAR Nodes,
 and wherein further of the AREAs are similarly interconnected to further sets each
 comprising STAR Nodes and where there is at least one interconnection choice
 (CHOICE) between any two Allocated Nodes in different AREAs and where an
 15 interconnection route comprises two point to point interconnections interconnected in
 series by a STAR Node.
2. A partially interconnected network as claimed in Claim 1, wherein there are an equal
 number (CHOICES) of interconnection ROUTEs between any two Allocated Nodes in
 different AREAs and an equal number of ROUTEs from each STAR.
- 20 3. A partially interconnected network as claimed in Claim 1 or 2, wherein :
 $(AREAs) \times (AREAs-1) \times (CHOICES) = (STARs) \times (ROUTES) \times (ROUTES-1)$ and
 $(STARs) \times (ROUTES)/(AREAs) = \text{a positive integer}$.
- 25 4. A partially interconnected network as claimed in Claim 1, wherein there are an equal
 number (CHOICES) of interconnection ROUTEs between any two Allocated Nodes in
 different AREAs.
5. A partially interconnected network as claimed in Claim 1, wherein there are an equal
 30 number of ROUTEs from each STAR.
6. A partially interconnected network as claimed in any preceding claim, where at least one
 of the AREAs contains one Allocated Node.

7. A partially interconnected network as claimed in any preceding claim, wherein each point-to-point interconnection comprises a multiple circuit transmission system.
- 5 8. A partially interconnected network as claimed in any preceding claim, wherein at least one of the point-to-point interconnections passes through an AREA Cross-connect.
9. A partially interconnected network as claimed in any preceding Claim, wherein the plurality of STAR Nodes equals the number of AREAs or an integer multiple thereof and the number of AREAs and the plurality of STAR Nodes are each cyclically identified and wherein the modulo differences of the identities allocated to the cyclically identified STAR Nodes in the set or sets, selected in pairs within a set, form a single contiguous sequence or multiple contiguous sequences respectively, from one to one less than the number of cyclically identified AREAs, the remainder of the cyclically identified AREAs being interconnected each to a corresponding set of cyclically identified STAR Nodes which are each sequentially rotated by one from a former contiguous sequence to create a regular rotated interconnection pattern or regular rotated interconnection patterns.
- 10 10. A partially interconnected network as claimed in Claim 9 wherein in the pattern or patterns each cyclically identified STAR Node is interconnected to a cyclically identified AREA having the same cyclical identifier as the STAR Node.
- 15 11. A partially interconnected network as claimed in Claim 9 or 10, wherein the rotated contiguous sequence is transformed by reordering and/or renumbering the AREAs and/or reordering and/or renumbering the STAR Nodes whilst retaining an equal number of interconnection ROUTEs between any two Allocated Nodes in different AREAs, where a interconnection route comprises two point-to-point interconnections interconnected in series by a STAR Node.
- 20 12. A partially interconnected network as claimed in Claim 9, 10 or 11, wherein there is a second plurality of cyclically numbered STAR Nodes, equal in number to the earlier plurality of cyclically numbered STAR Nodes creating a second interconnection pattern, where the second interconnection pattern is a counter rotating version of the pattern of interconnections of the earlier plurality of cyclically numbered STAR Nodes.
- 25 30 35

13. A partially interconnected network as claimed in Claim 3, or any claim appendent thereto, wherein ROUTEs is a prime number or an integer power of a prime number, AREAs equals Routes² and STARs equals ROUTEs x (ROUTEs-1).
14. A partially interconnected network as claimed in Claim 3, wherein there is an odd integer number of STARs, each Star having three ROUTEs interconnected thereto.
15. A partially interconnected network as claimed in any preceding claim, wherein AREA Nodes and STAR Nodes share sites and where redundant pairs of point-to-point interconnections of a twin CHOICE network do not have their terminations on the same pair of sites.
16. A partially interconnected network as claimed in Claim 4, wherein:
 $(AREAs) \times (AREAs-1) \times (CHOICEs) = (STARs1) \times (ROUTEs1-1) + (STARs2) \times (ROUTEs2-1) + (STARs3) \times (ROUTEs3-1) + \dots + (STARsn) \times (ROUTEn-1)$.
17. A partially interconnected network as claimed in any preceding claim, wherein at least one STAR comprises a plurality of distributed switches interconnected to form a mesh network.
18. A partially interconnected network as claimed in any preceding claim, wherein at least one STAR comprises a plurality of routers interconnected to form a mesh network.
19. A partially interconnected network as claimed in any preceding claim, wherein each ROUTE comprises a Wave Division Multiplex link.
20. A partially interconnected network as claimed in Claim 19, wherein the number of wavelengths carried by each link is one less than the number of ROUTEs.
21. A partially interconnected network as claimed in Claim 19 or 20, wherein individual wavelengths from one input WDM link are selectively taken to different output WDM links.
22. A partially interconnected network as claimed in any preceding claim, wherein one or more AREAs are without any Allocated Nodes.

23. A partially interconnected network as claimed in Claim 5 and having Extra paths(EXTRA), wherein:
 $(AREAs) \times (AREAs-1) \times (CHOICES) = (STARs) \times \{(ROUTEs) \times (ROUTEs-1) - (EXTRA)\}$
24. A partially interconnected network as claimed in Claim 5 and having Missing paths(MISSING), wherein:
 $(AREAs) \times (AREAs-1) \times (CHOICES) = (STARs) \times \{(ROUTEs) \times (ROUTEs-1) + (MISSING)\}$.
25. A partially interconnected network as claimed in Claim 1, 2, 4 or 5, comprising a number of AREAs interconnected to a further partially interconnected network having an equivalent number of AREAs and a lesser number of STARs.
26. A plurality of partially interconnected networks, each as claimed in Claim 1, each partially interconnected network having the same number of STARs, wherein a corresponding STAR of each partially interconnected network is interconnected by a respective mesh network
27. A partially interconnected network as claimed in any preceding claim, wherein the partially interconnected network is a telecommunications network.
28. A three-stage switch where there are at least four interconnection choices (CHOICES) between each pair of stages, wherein each pair of stages is connected by a partially interconnected network as claimed in any preceding claim.

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/74320 A1

(51) International Patent Classification⁷: **H04L 12/56**

(GB). JENSEN, Bruce, Philip [US/GB]; 13 Poole Road, Wimborne, Dorset BH21 1QA (GB).

(21) International Application Number: PCT/GB00/01999

(74) Agent: BRANFIELD, Henry, Anthony; Marconi Intellectual Property, Waterhouse Lane, Chelmsford, Essex CM1 2QX (GB).

(22) International Filing Date: 25 May 2000 (25.05.2000)

(25) Filing Language: English

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(26) Publication Language: English

(30) Priority Data:
9912290.5 27 May 1999 (27.05.1999) GB

(71) Applicant (*for all designated States except US*): MARCONI COMMUNICATIONS LIMITED [GB/GB]; New Century Park, P.O. Box 53, Coventry CV3 1HJ (GB).

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and


(75) Inventors/Applicants (*for US only*): CHOPPING, Geoffrey [GB/GB]; Tregarth, Furze Hill, Wimborne, Dorset BH21 4HD (GB). MADDERN, Thomas, Slade [GB/GB]; 38 Cutlers Place, Cole Hill, Wimborne, Dorset BH21 2HU

Published:

— With international search report.

[Continued on next page]

(54) Title: NETWORK INTERCONNECTIONS



(57) Abstract: A partially interconnected networks has a plurality of Allocated Nodes, which Allocated Nodes are each allocated to one of a number of AREAs, and further has a plurality of Star Nodes (STARs), and also has point to point interconnections between the Allocated Nodes and the Star Nodes, where the number of AREAs with Allocated Nodes connected to an individual STAR forms the number of ROUTEs from an individual STAR, the Allocated Nodes of a first of the AREAs being connected to a set comprising some, but not all, of the Star Nodes, and further of the AREAs are similarly interconnected to further sets each comprising Star Nodes and there is at least one connection choice between any two Allocated Nodes in different AREAs and where a connection route is two point-to-point interconnections connected in series by a Star Node.

20000525001


WO 00/74320 A1

WO 00/74320 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

1003453 053103
20110905 152100



2 /36





Fig.2.

Area
(Node)

Fig.3.



4/36





Fig.4.



6/36




Fig.6.

[illegible]

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1

[illegible]

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1

[illegible]

SUBSTITUTE SHEET (RULE 26)

8/36




Fig.9.

9/36




Fig.10.

10/36

Fig.11.

AREAS STARS
CHOICES ROUTES

Fig.

$$A (A-1) C = S (R) (R-1)$$

$$\begin{aligned} 3 (2) 1 &= 3 (2) (1) \\ 7 (6) 1 &= 7 (3) (2) \\ 13 (12) 1 &= 13 (4) (3) \\ 21 (20) 1 &= 21 (5) (4) \\ 31 (30) 1 &= 31 (6) (5) \\ 57 (56) 1 &= 57 (8) (7) \\ 73 (72) 1 &= 73 (9) (8) \\ 91 (90) 1 &= 91 (10) (9) \\ 133 (132) 1 &= 133 (12) (11) \end{aligned}$$

$$\begin{aligned} 4 (3) 2 &= 4 (3) (2) \\ 7 (6) 2 &= 7 (4) (3) \\ 11 (10) 2 &= 11 (5) (4) \\ 37 (36) 2 &= 37 (9) (8) \end{aligned}$$


$$\begin{aligned} 5 (4) 3 &= 5 (4) (3) \\ 11 (10) 3 &= 11 (6) (5) \\ 15 (14) 3 &= 15 (7) (6) \end{aligned}$$

$$\begin{aligned} 6 (5) 4 &= 6 (5) (4) \\ 15 (14) 4 &= 15 (8) (7) \\ 19 (18) 4 &= 19 (9) (8) \end{aligned}$$


$$\begin{aligned} 7 (6) 5 &= 7 (6) (5) \\ 19 (18) 5 &= 19 (10) (9) \\ 23 (22) 5 &= 23 (11) (10) \end{aligned}$$

$$\begin{aligned} 8 (7) 6 &= 8 (7) (6) \\ 23 (22) 6 &= 23 (12) (11) \end{aligned}$$


EXAMPLES OF ROTATIONAL PATTERNS



EXAMPLES OF MULTI-ROTATIONAL PATTERNS



EXAMPLES OF OTHER ROTATIONAL PATTERNS



SUBSTITUTE SHEET (RULE 26)

Fig.12.

AREAS CHOICES	STARS ROUTES	Fig.
------------------	-----------------	------

11/36

$$16 (15) 2 = 16 (6) (5) \quad 22 \ 23$$

$$16 (15) 1 = 20 (4) (3) \quad 20 \ 21$$

$$12 (44) 3 = 44 (3) (2) \quad 19$$

$$10 (9) 2 = 15 (4) (3) \quad 24$$

$$8 (7) 3 = 14 (4) (3) \quad 25$$

$$6 (5) 2 = 10 (3) (2) \quad 26$$

#4

$9 (8) 1 = 12 (3) (2)$	27 28	$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=3 \quad A=9 \quad S=12$
$25 (24) 1 = 30 (5) (4)$	29	$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=5 \quad A=25 \quad S=30$
$49 (48) 1 = 56 (7) (6)$	30	$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=7 \quad A=49 \quad S=56 \ #7$
$81 (80) 1 = 90 (9) (8)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=9 \quad A=81 \quad S=90$
$121 (120) 1 = 132 (11) (10)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=11 \quad A=121 \quad S=132$
$169 (168) 1 = 182 (13) (12)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=13 \quad A=169 \quad S=182$
$225 (224) 1 = 240 (15) (14)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=15 \quad A=225 \quad S=240$
$289 (288) 1 = 306 (17) (16)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=17 \quad A=289 \quad S=306$
$361 (360) 1 = 380 (19) (18)$		$A=R \times R \quad S=R(R+1)$	$R = \text{odd integer}$	$R=19 \quad A=361 \quad S=380$

etc.

$$15 (14) 1 = 35 (3) (2) \quad 31$$

$$21 (20) 1 = 70 (3) (2) \quad 32$$

$$27 (26) 1 = 117 (3) (2) \quad 33$$

$$33 (32) 1 = 176 (3) (2)$$

$$39 (38) 1 = 247 (3) (2)$$

$$45 (44) 1 = 330 (3) (2)$$

$$51 (50) 1 = 425 (3) (2)$$

etc.

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

Odd number of Groups: each Group = 3 Areas: R=3

$$16 (15) 2 = 80 (3) (2)$$

Stars with 4 routes replaced by four stars with 3 Routes

#4

$$49 (48) 1 = 392 (3) (2)$$

Stars with 7 routes replaced by seven stars with 3 Routes

#7

$$49 (48) 2 = 392 (4) (3)$$

Stars with 7 routes replaced by seven stars with 4 Routes

#7

1	1	1	1		1
2	1	1	1	1	
3		1	1	1	1
4			1	1	1
5	1			1	1
6		1		1	1
7	1	1		1	1

1	1	1	1	1	1	1	1
2		1	1	1	1	1	1
3			1	1	1	1	1
4				1	1	1	1
5	1				1	1	1
6		1				1	1
7	1		1			1	1
8	1	1	1			1	1
9		1	1	1			1
10	1		1	1	1		1
11	1	1		1	1	1	1

1	1	1	1	1	1	1				1	1		1	
2		1	1	1	1	1	1				1	1		1
3			1	1	1	1	1	1				1	1	
4	1			1	1	1	1	1	1				1	1
5		1			1	1	1	1	1	1				1
6			1			1	1	1	1	1	1			1
7	1			1			1	1	1	1	1	1		
8	1	1			1			1	1	1	1	1	1	
9			1	1				1	1	1	1	1	1	
10				1	1				1	1	1	1	1	1
11					1	1				1	1	1	1	1
12						1	1			1	1	1	1	1
13	1					1	1		1		1	1	1	1
14		1					1	1		1		1	1	1
15	1		1					1	1		1		1	1
16		1		1					1	1			1	1
17	1		1					1	1			1		1
18		1	1		1					1	1			1
19		1	1	1		1					1	1		1

1	1	1	1	1		1						1	1		1	1			
2		1	1	1	1		1	1					1	1		1	1		
3			1	1	1	1		1						1	1		1	1	
4	1			1	1	1	1		1	1					1	1		1	
5	1	1			1	1	1	1		1	1					1	1		
6		1	1			1	1	1	1		1	1					1	1	
7	1		1	1			1	1	1	1		1		1				1	
8	1	1			1	1		1	1	1	1		1		1				
9			1	1		1	1		1	1	1	1		1		1			
10				1	1		1	1			1	1	1	1		1		1	
11					1	1		1	1			1	1	1	1		1	1	
12						1	1		1	1			1	1	1	1		1	
13	1					1	1		1	1				1	1	1	1	1	
14		1					1	1		1	1			1	1	1	1	1	
15	1		1					1	1		1	1			1	1	1	1	
16		1		1					1	1		1	1			1	1	1	1
17	1		1		1					1	1		1	1			1	1	1
18		1	1		1					1	1		1	1				1	1
19	1	1	1		1		1					1	1		1	1			1




Fig.17.

14 /36

Fig.18.		AREAS				
Triple		0	0	0	0	0
STARS		1	2	3	4	5
1		1	1	1		
2			1	1	1	
3				1	1	1
4		1			1	1
5		1	1			1
6		1	1		1	
7			1	1		1
8		1		1	1	
9			1		1	1
10		1		1		1

Fig.19.		AREAS >>>>>											
Twin		0	0	0	0	0	0	0	0	1	1	1	
STARS		1	2	3	4	5	6	7	8	9	0	1	2
1		1	1										1
2		1	1	1									
3		1		1	1								
4		1			1	1							
5		1				1	1						
6		1					1	1					
7		1						1	1				
8		1							1	1			
9		1								1	1		
10		1									1	1	
11		1										1	1
12			1		1								1
13			1	1		1							
14				1	1		1						
15					1	1		1					
16						1	1		1				
17							1	1		1			
18								1	1		1		
19									1	1		1	
20			1							1	1		
21				1							1	1	
22					1							1	1
23			1		1		1						
24				1		1		1					
25					1		1		1				
26						1		1		1			
27							1		1		1		
28								1		1		1	
29			1						1		1		
30				1						1		1	
31					1						1		1
32			1			1						1	
33				1			1						1
34			1		1			1					
35				1		1			1				
36					1		1			1			
37						1		1			1		
38							1		1			1	
39			1					1		1			
40				1					1		1		
41					1					1		1	
42						1					1		1
43			1			1						1	
44				1			1						1

Fig.20. AREAS >>>>>>>>>>

Twin 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

1	1	1		1		1			1			1
2	1	1	1			1			1			1
3		1	1	1	1			1			1	
4	1		1	1		1				1		
5			1		1	1	1		1			1
6				1	1	1	1			1		1
7	1				1	1	1	1			1	
8		1			1	1	1		1			1
9			1			1		1	1	1		1
10				1			1	1	1	1		1
11	1				1				1	1	1	1
12		1				1		1	1	1		1
13			1			1			1		1	1
14				1			1			1	1	1
15	1				1			1			1	1
16		1				1			1		1	1

Fig.21. AREAS >>>>>>>>>>

Twin	000000000011111111
------	--------------------

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

1		1	1	1	1			1				1			
2	1		1	1		1			1				1		
3	1	1		1			1			1				1	
4	1	1	1				1			1					1
5	1				1	1	1	1				1			
6		1			1		1	1		1			1		
7			1		1	1		1			1			1	
8				1	1	1	1	1				1			1
9	1				1				1	1	1	1	1		
10		1				1		1		1	1	1		1	
11			1				1	1	1	1			1		
12				1			1	1	1	1	1				1
13	1				1			1					1	1	1
14		1				1			1			1		1	1
15			1				1			1			1	1	1
16				1				1			1	1	1	1	1

Fig.22. AREAS >>>>>>>>>>

Single	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

[illegible]

Fig.23. AREAS >>>>>>>>>>

Single	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

STARS 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

1	1	1				1	1												
2		1	1			1		1											
3			1	1			1		1										
4				1	1	1		1											
5	1				1		1		1										
6						1	1								1			1	
7							1	1			1					1			
8								1	1			1						1	
9									1	1	1		1						
10						1				1		1		1					
11			1		1						1	1							
12	1			1								1	1						
13		1			1									1	1				
14	1		1												1	1			
15		1		1							1						1		
16	1					1					1								1
17		1					1					1							1
18			1					1					1						
19				1					1						1			1	
20					1					1							1	1	

16/36

Fig.24. AREAS >>>>

Twin 0 0 0 0 0 0 0 0 0 1

STARS 1 2 3 4 5 6 7 8 9 0

1	1	1	1	1					
2	1	1	1	1					
3		1	1	1	1				
4			1	1	1	1			
5			1	1	1	1			
6			1	1	1	1			
7	1	1			1	1			
8	1	1			1	1			
9		1	1			1	1		
10	1			1			1	1	
11		1			1	1		1	
12			1	1		1	1		
13	1				1	1	1		
14		1	1				1	1	
15			1	1	1	1		1	

Fig.25. AREAS >>

Triple 0 0 0 0 0 0 0 0

STARS 1 2 3 4 5 6 7 8

1	1	1		1	1		
2		1	1		1	1	
3			1	1		1	1
4	1			1	1		1
5	1	1	1	1	1		
6		1	1	1	1	1	
7	1	1				1	1
8		1	1	1			1
9			1	1	1	1	
10	1		1		1	1	
11	1	1			1	1	
12		1	1	1	1		
13	1	1	1	1			
14				1	1	1	1

Fig.26. AREAS

Twin 0 0 0 0 0 0

STARS 1 2 3 4 5 6

1	1	1			1
2	1	1	1		
3	1		1	1	
4	1			1	1
5	1				1
6		1	1	1	
7		1	1	1	
8			1	1	1
9		1	1	1	
10			1	1	1

Fig.27. AREAS >>>

Single 0 0 0 0 0 0 0 0 0

STARS 1 2 3 4 5 6 7 8 9

1	1	1	1					
2				1	1	1		
3						1	1	1
4	1			1			1	
5	1			1	1			
6		1	1		1			
7		1		1				1
8		1			1	1		
9			1	1			1	
10			1		1	1		
11			1	1				1
12	1				1			1

Fig.28. AREAS >>>

Single 0 0 0 0 0 0 0 0 0

STARS 1 2 3 4 5 6 7 8 9

1	1			1		1		
2		1			1		1	
3			1			1		1
4			1	1			1	
5	1				1			1
6		1				1	1	
7			1	1	1	1		
8	1				1		1	
9		1	1					1
10	1	1	1					
11				1	1	1		
12						1	1	1

[illegible][illegible]

1	A				
2		A			
3			A		
4				A	
5					A
6	1	1		2	
7		1	1		2
8	2		1	1	
9		2		1	1
10	1		2		1
11	1	2	1		
12		1	2	1	
13			1	2	1
14	1			1	2
15	2	1			1
16	2	2		3	
17		2	2		3
18	3		2	2	
19		3		2	2
20	2		3		2
21	2	3	2		
22		2	3	2	
23			2	3	2
24		2		2	3
25		3	2		2
26	3	3		1	
27		3	3		1
28	1		3	3	
29		1		3	3
30	3		1		3
31	3	1	3		
32		3	1	3	
33			3	1	3
34	3			3	1
35	1	3			3

20 /36

Fig.32. AREAS	
Single	2 1
STARS	3 3 3 3 3 3 3
1	A
2	A
3	A
4	A
5	A
6	A
7	A
8	1 1 2
9	1 1 2
10	1 1 2
11	2 1 1
12	2 1 1
13	2 1 1
14	1 2 1
15	1 2 1
16	1 2 1
17	1 2 1
18	1 2 1
19	1 2 1
20	1 2 1
21	2 1 1
22	1 1 2
23	1 1 2
24	2 1 1
25	2 1 1
26	1 2 1
27	1 2 1
28	1 2 1

AREAS	
	2 1
	3 3 3 3 3 3 3
29	2 2 3
30	2 2 3
31	2 2 3
32	3 2 2
33	3 2 2
34	3 2 2
35	2 3 2
36	2 3 2
37	2 3 2
38	2 3 2
39	2 3 2
40	2 3 2
41	2 2 3
42	3 2 2
43	2 2 3
44	2 2 3
45	3 2 2
46	3 2 2
47	2 3 2
48	2 3 2
49	2 3 2

AREAS	
	2 1
	3 3 3 3 3 3 3
50	3 3 1
51	3 3 1
52	3 3 1
53	1 3 3
54	1 3 3
55	1 3 3
56	3 1 3
57	3 1 3
58	3 1 3
59	3 1 3
60	3 1 3
61	3 1 3
62	3 1 3
63	1 3 3
64	3 3 1
65	3 3 1
66	1 3 3
67	1 3 3
68	3 1 3
69	3 1 3
70	3 1 3

21 /36

Fig.33.

AREAS								
Single	2 7							
STARS	3	3	3	3	3	3	3	3
1	A							
2		A						
3			A					
4				A				
5					A			
6						A		
7							A	
8								A
9								A
10	1	1			2			
11		1	1			2		
12			1	1			2	
13				1	1			2
14	2			1	1			
15		2			1	1		
16			2			1	1	
17				2			1	1
18	1				2			1
19	1	2	1					
20		1	2	1				
21			1	2	1			
22				1	2	1		
23					1	2	1	
24						1	2	1
25							1	2
26	1						1	2
27	2	1						1
28	1			1		2		
29		1			1		2	
30			1			1		2
31	2			1			1	
32		2			1			1
33			2			1		1
34	1			2			1	
35		1			2			1
36			1			2		1
37	1	2	1					
38		1		2	1			
39			1		2	1		
40				1		2	1	
41					1		2	1
42	1					1		2
43		1					1	2
44	2	1						1
45		2	1					1

AREAS

	2	7							
46	3	3	3	3	3	3	3	3	
47	2	2			3				
48		2	2			3			
49			2	2			3		
50	3			2	2			3	
51		3			2	2			
52			3			2	2		
53				3			2	2	
54	2				3			2	
55	2	3	2						
56		2	3	2					
57			2	3	2				
58				2	3	2			
59					2	3	2		
60						2	3	2	
61							2	3	2
62	2							2	3
63	3	2							2
64	2			2			3		
65		2			2			3	
66			2			2			3
67	3			2			2		
68		3			2			2	
69			3			2			2
70	2			3			2		
71		2			3			2	
72			2			3			2
73	2		3		2				
74		2		3		2			
75			2		3		2		
76				2		3		2	
77					2		3		2
78	2					2		3	
79		2					2		3
80	3		2					2	
81		3		2					2

AREAS

	2 7							
	3	3	3	3	3	3	3	3
82	3	3			1			
83		3	3			1		
84			3	3			1	
85				3	3			1
86	1				3	3		
87		1				3	3	
88			1				3	3
89				1				3
90	3				1			3
91	3	1	3					
92		3	1	3				
93			3	1	3			
94				3	1	3		
95					3	1	3	
96						3	1	3
97							3	1
98	3							3
99	1	3						3
100	3			3			1	
101		3			3			1
102			3			3		1
103	1			3			3	
104		1			3			3
105			1			3		3
106	3			1			3	
107		3			1			3
108			3			1		3
109	3		1	3				
110		3			3			
111			3			3		
112				3		1	3	
113					3		1	3
114	3					3		1
115		3					3	1
116	1	3						3
117		1	3					3

22/36





Figure 34

23/36



24/36






FIGURE 36

25 /36



$$\begin{matrix} A & \times & A-1 & \times & C & = & S & \times & R & \times & R-1 \\ 7 & \times & 6 & \times & 1 & = & 7 & \times & 3 & \times & 2 \end{matrix}$$

Figure 37




$$\begin{matrix} A & \times & A-1 & \times & C & = & S & \times & R & \times & R-1 \\ 7 & \times & 6 & \times & 2 & = & 7 & \times & 4 & \times & 3 \end{matrix}$$


Figure 38

Figure 39

Figure 40




$$\begin{matrix} A & \times & A-1 & \times & C & = & S & \times & R & \times & R-1 \\ 15 & \times & 14 & \times & 3 & = & 15 & \times & 7 & \times & 6 \end{matrix}$$



$$\begin{matrix} A & \times & A-1 & \times & C & = & S & \times & R & \times & R-1 \\ 15 & \times & 14 & \times & 4 & = & 15 & \times & 8 & \times & 7 \end{matrix}$$

26 / 36

Figure 41


$$\begin{array}{cccccccccccc} A & \times & A-1 & \times & C & = & S & \times & R & \times & R-1 \\ 31 & \times & 30 & \times & 7 & = & 31 & \times & 15 & \times & 14 \end{array}$$

ORIGINAL

SUBSTITUTE SHEET (RULE 26)

10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532

28/36




Figure 43

29 / 36




Figure 44

30/36

TIME SLOT	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
LINE NUMBER	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
5	4	3	2	1	0	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	
10	9	8	7	6	5	4	3	2	1	0	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	
15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	
20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	62	61	60	59	58	57	56	55	54	53	
25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	62	61	60	59	58	
30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	
35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	
45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	
50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	
55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	
60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	
65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	
70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	
75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	
80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	
85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	
90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	
95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	
100	99	98	97	96	95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	
105	104	103	102	101	100	99	98	97	96	95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	
110	109	108	107	106	105	104	103	102	101	100	99	98	97	96	95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	
115	114	113	112	111	110	109	108	107	106	105	104	103	102	101	100	99	98	97	96	95	94	93	92	91	90	89	88	87	86	85	
120	119	118	117	116	115	114	113	112	111	110	109	108	107	106	105	104	103	102	101	100	99	98	97	96	95	94	93	92	91	90	
125	124	123	122	121	120	119	118	117	116	115	114	113	112	111	110	109	108	107	106	105	104	103	102	101	100	99	98	97	96	95	
130	129	128	127	126	125	124	123	122	121	120	119	118	117	116	115	114	113	112	111	110	109	108	107	106	105	104	103	102	101	100	
135	134	133	132	131	130	129	128	127	126	125	124	123	122	121	120	119	118	117	116	115	114	113	112	111	110	109	108	107	106	105	
140	139	138	137	136	135	134	133	132	131	130	129	128	127	126	125	124	123	122	121	120	119	118	117	116	115	114	113	112	111	110	
145	144	143	142	141	140	139	138	137	136	135	134	133	132	131	130	129	128	127	126	125	124	123	122	121	120	119	118	117	116	115	
150	149	148	147	146	145	144	143	142	141	140	139	138	137	136	135	134	133	132	131	130	129	128	127	126	125	124	123	122	121	120	
155	154	153	152	151	150	149	148	147	146	145	144	143	142	141	140	139	138	137	136	135	134	133	132	131	130	129	128	127	126	125	
160	159	158	157	156	155	154	153	152	151	150	149	148	147	146	145	144	143	142	141	140	139	138	137	136	135	134	133	132	131	130	
165	164	163	162	161	160	159	158	157	156	155	154	153	152	151	150	149	148	147	146	145	144	143	142	141	140	139	138	137	136	135	
170	169	168	167	166	165	164	163	162	161	160	159	158	157	156	155	154	153	152	151	150	149	148	147	146	145	144	143	142	141	140	
175	174	173	172	171	170	169	168	167	166	165	164	163	162	161	160	159	158	157	156	155	154	153	152	151	150	149	148	147	146	145	
180	179	178	177	176	175	174	173	172	171	170	169	168	167	166	165	164	163	162	161	160	159	158	157	156	155	154	153	152	151	150	
185	184	183	182	181	180	179	178	177	176	175	174	173	172	171	170	169	168	167	166	165	164	163	162	161	160	159	158	157	156	155	
190	189	188	187	186	185	184	183	182	181	180	179	178	177	176	175	174	173	172	171	170	169	168	167	166	165	164	163	162	161	160	
195	194	193	192	191	190	189	188	187	186	185	184	183	182	181	180	179	178	177	176	175	174	173	172	171	170	169	168	167	166	165	
200	199	198	197	196	195	194	193	192	191	190	189	188	187	186	185	184	183	182	181	180	179	178	177	176	175	174	173	172	171	170	
205	204	203	202	201	200	199	198	197	196	195	194	193	192	191	190	189	188	187	186	185	184	183	182	181	180	179	178	177	176	175	
210	209	208	207	206	205	204	203	202	201	200	199	198	197	196	195	194	193	192	191	190	189	188	187	186	185	184	183	182	181	180	
215	214	213	212	211	210	209	208	207	206	205	204	203	202	201	200	199	198	197	196	195	194	193	192	191	190	189	188	187	186	185	
220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	204	203	202	201	200	199	198	197	196	195	194	193	192	191	190	
225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	204	203	202	201	200	199	198	197	196	195	
230	229	228	227	226	225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	204	203	202	201	200	
235	234	233	232	231	230	229	228	227	226	225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	
240	239	238	237	236	235	234	233	232	231	230	229	228	227	226	225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	
245	244	243	242	241	240	239	238	237	236	235	234	233	232	231	230	229	228	227	226	225	224	223	222	221	220	219	218	217	216	215	
250	249	248	247	246	245	244	243	242	241	240	239	238	237	236																	

Table 1

Parameter	Value
Number of subjects	10
Age (years)	22.2 ± 2.2
Height (cm)	178.2 ± 6.2
Weight (kg)	75.2 ± 10.2
BMI (kg/m ²)	23.2 ± 2.2
VO _{2max} (L/min)	3.2 ± 0.2
Heart rate (b/min)	152 ± 12
Systolic blood pressure (mmHg)	122 ± 8
Diastolic blood pressure (mmHg)	72 ± 5
Stroke volume (mL)	92 ± 10
Cardiac output (L/min)	29.2 ± 2.2
Mean arterial pressure (mmHg)	92 ± 5
Total peripheral resistance (dynes/cm ⁵)	1620 ± 120
Systemic vascular resistance (dynes/cm ⁵)	1620 ± 120
Pulmonary artery pressure (mmHg)	22 ± 2
Pulmonary capillary pressure (mmHg)	18 ± 2
Left ventricular end-diastolic pressure (mmHg)	12 ± 2
Right ventricular end-diastolic pressure (mmHg)	8 ± 2
Left ventricular stroke work (J/kg)	12.2 ± 1.2
Right ventricular stroke work (J/kg)	8.2 ± 1.2
Net cardiac work (J/kg)	10.2 ± 1.2
Metabolic rate (W)	1220 ± 120
Oxygen consumption (L/min)	2.2 ± 0.2
CO ₂ production (L/min)	1.2 ± 0.2
Lactate concentration (mmol/L)	1.2 ± 0.2
Glucose concentration (mg/dL)	82 ± 10
Insulin concentration (μU/mL)	12.2 ± 2.2
C-peptide concentration (pmol/L)	1220 ± 120
Hemoglobin A1c (%)	5.2 ± 0.2
Fasting glucose (mg/dL)	82 ± 10
Postprandial glucose (mg/dL)	122 ± 12
Time to peak glucose (min)	12.2 ± 2.2
Area under the curve (mg·min/dL)	1220 ± 120
Insulin sensitivity index (ISI)	12.2 ± 2.2
β-cell function (β)	122 ± 12
Disposition index (DI)	1220 ± 120
Adiponectin concentration (ng/mL)	12200 ± 1200
Tumor necrosis factor-α (pg/mL)	12.2 ± 2.2
Interleukin-6 (pg/mL)	12.2 ± 2.2
C-reactive protein (mg/dL)	1.2 ± 0.2
Fibrinogen (mg/dL)	122 ± 12
Plasma renin activity (ng/mL/h)	12.2 ± 2.2
Aldosterone (ng/mL)	12.2 ± 2.2
Angiotensin II (pg/mL)	12.2 ± 2.2
Endothelial nitric oxide synthase activity (nmol/min/mg)	12.2 ± 2.2
Vascular reactivity index	12.2 ± 2.2
Flow-mediated dilation (%)	12.2 ± 2.2
Brachial artery flow (mL/min)	122 ± 12
Carotid intima-media thickness (mm)	1.2 ± 0.2
Coronary artery calcification score	12.2 ± 2.2
Left atrial size (cm)	12.2 ± 2.2
Left ventricular mass (g)	1220 ± 120
Right ventricular mass (g)	122 ± 12
Septal thickness (cm)	1.2 ± 0.2
Posterior wall thickness (cm)	1.2 ± 0.2
Septal-lateral diameter (cm)	12.2 ± 2.2
Septo-apical diameter (cm)	12.2 ± 2.2
Septo-inferior diameter (cm)	12.2 ± 2.2
Septo-posterior diameter (cm)	12.2 ± 2.2
Septo-anterior diameter (cm)	12.2 ± 2.2
Septo-superior diameter (cm)	12.2 ± 2.2
Septo-inferior diameter (cm)	12.2 ± 2.2
Septo-posterior diameter (cm)	12.2 ± 2.2
Septo-anterior diameter (cm)	12.2 ± 2.2
Septo-superior diameter (cm)	12.2 ± 2.2

>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	>	&
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Figure 45B

32/36




Figure 46

33/36




Figure 47




Figure 48

35/36

Figure 49A




Figure 49

36/36




Figure 50

Type a plus sign (+) inside this box → ☐0010/PTO
Rev. 8/95U.S. Department of Commerce
Patent and Trademark Office**DECLARATION FOR
UTILITY OR DESIGN
PATENT APPLICATION**

☐ Declaration OR
Submitted
with Initial Filing

☒ Declaration
Submitted after
Initial Filing

Attorney Docket Number

P/61705/GPTU73

First Named Inventor

CHOPPING, GEOFFREY

COMPLETE IF KNOWN

Application Number

10/031,253

Filing Date

October 23, 2001

Group Art Unit

Examiner Name

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

NETWORK INTERCONNECTIONS

(Title of the Invention)

the specification of which

☐ is attached hereto
OR

☒ was filed on (MM/DD/YYYY)

October 23, 2001

Serial No. 10/031,253
as United States Application Number & PCT International

Application Number

GB00/01999

and was amended on (MM/DD/YYYY)

May 25th 2000

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code §119 (a)-(d) or §385(b) of any foreign application(s) for patent or inventor's certificate, or §385 (a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
9912290.5	GB	May 27th 1999	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
PCT/GB00/01999	INTERNATIONAL	May 25, 2000			

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

201551 051001

Type a plus sign (+) inside this box → ☐

DECLARATION

Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §385(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Firm Name Customer Number or label
OR
☒ List attorney(s) and/or agent(s) name and registration number below:

Name	Registration Number	Name	Registration Number
David B. Kirschstein, Esq.	17,244		
Alan Israel, Esq.	27,564		
Martin W. Schiffmiller, Esq.	30,421		

☐ Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.

Please direct all correspondence to: ☐ Customer Number or label OR ☒ Fill in correspondence address below

Name	KIRSCHSTEIN, OTTINGER, ISRAEL & SCHIFFMILLER, P.C.		
Address	489 Fifth Avenue		
Address			
City	New York	State	New York
Country	United States	Telephone	(212) 697-3750
		Fax	(212) 949-1690

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor: ☐ A petition has been filed for this unsigned inventor

Given Name	Geoffrey	Middle Initial		Family Name	CHOPPING	Suffix e.g. Jr.	
------------	----------	----------------	--	-------------	----------	-----------------	--

Inventor's Signature	<i>Geoffrey Chopping</i>	Date	19-November 2001
----------------------	--------------------------	------	------------------

Residence: City	Wimborne	State	GBX	Country	United Kingdom	Citizenship	British
-----------------	----------	-------	-----	---------	----------------	-------------	---------

Post Office Address	Tregarth, Furze Hill Furze Hill <i>Geoffrey Chopping</i>
---------------------	--

Post Office Address	Wimborne, Dorset BH21 4HD (GB) UK
---------------------	-----------------------------------

City	Wimborne	State		Zip	BH21 4HD	Country	United Kingdom	Applicant Authority	
------	----------	-------	--	-----	----------	---------	----------------	---------------------	--

☒ Additional inventors are being named on supplemental sheet(s) attached hereto

20150701 00100

100

Type a plus sign (+) inside this box → ☐

+

DECLARATION	ADDITIONAL INVENTOR(S) Supplemental Sheet
--------------------	--

Name of Additional Joint Inventor, if any:	<input type="checkbox"/> A petition has been filed for this unsigned inventor
--	---

Given Name	Thomas Thomas	Middle Initial	S	Family Name	MADDERN	Suffix e.g. Jr.	
------------	---------------	----------------	---	-------------	---------	--------------------	--

Inventor's Signature	T. S. Maddern	Date	14-11-2001
----------------------	---------------	------	------------

Residence: City	Wimborne	State	Country	United Kingdom	Citizenship	British
-----------------	----------	-------	---------	----------------	-------------	---------

Post Office Address	38 Cutlers Place, Colehill, Wim.
---------------------	----------------------------------

Post Office Address	Wimborne, Dorset BH21 2HU, United Kingdom
---------------------	---

City	Wimborne	State	Zip	BH21 2HU	Country	United Kingdom	Applicant Authority
------	----------	-------	-----	----------	---------	----------------	---------------------

Name of Additional Joint Inventor, if any:	<input type="checkbox"/> A petition has been filed for this unsigned inventor
--	---

Given Name	Bruce	Middle Initial	P	Family Name	JENSEN	Suffix e.g. Jr.	
------------	-------	----------------	---	-------------	--------	--------------------	--

Inventor's Signature	Bruce P. Jensen	Date	19 Nov 2001
----------------------	-----------------	------	-------------

Residence: City	Wimborne	State	Country	United Kingdom	Citizenship	US
-----------------	----------	-------	---------	----------------	-------------	----

Post Office Address	13 Poole Road, Wimborne
---------------------	-------------------------

Post Office Address	Dorset BH21 1QA, United Kingdom
---------------------	---------------------------------

City	Wimborne	State	Zip	BH21 1QA	Country	United Kingdom	Applicant Authority
------	----------	-------	-----	----------	---------	----------------	---------------------

Name of Additional Joint Inventor, if any:	<input type="checkbox"/> A petition has been filed for this unsigned inventor
--	---

Given Name		Middle Initial		Family Name		Suffix e.g. Jr.	
------------	--	----------------	--	-------------	--	--------------------	--

Inventor's Signature		Date	
----------------------	--	------	--

Residence: City		State	Country		Citizenship	
-----------------	--	-------	---------	--	-------------	--

Post Office Address	
---------------------	--

Post Office Address	
---------------------	--

City		State	Zip		Country		Applicant Authority
------	--	-------	-----	--	---------	--	---------------------

Name of Additional Joint Inventor, if any:	<input type="checkbox"/> A petition has been filed for this unsigned inventor
--	---

Given Name		Middle Initial		Family Name		Suffix e.g. Jr.	
------------	--	----------------	--	-------------	--	--------------------	--

Inventor's Signature		Date	
----------------------	--	------	--

Residence: City		State	Country		Citizenship	
-----------------	--	-------	---------	--	-------------	--

Post Office Address	
---------------------	--

Post Office Address	
---------------------	--

City		State	Zip		Country		Applicant Authority
------	--	-------	-----	--	---------	--	---------------------

<input type="checkbox"/> Additional inventors are being named on supplemental sheet(s) attached hereto
--

200

380
10031253-053102